



MYSTEEL 4020

PRODUCTCATALOG



INTRODUCTION

At MySteel Dutch Products, we believe in the power of durable, high-end garden products that make outdoor living more enjoyable. Since our establishment in 2019, we have positioned ourselves as the specialist in steel garden products. With our wide range of innovative planters, garden elements such as wood storage units, patio heaters, and stairs, we offer the right solution for every customer—available directly from stock or custom-made.

Our commitment to quality and affordability sets us apart. We design, engineer, and manufacture everything ourselves in the Netherlands. The entire process takes place under one roof, from the initial concept to the delivery of the final product. This allows us not only to guarantee exceptional standards, but also to deliver quickly and efficiently. We closely follow technological innovations and integrate them into our production process. Thanks to a high level of automation, we work with great precision while keeping costs low. We are proud of our advanced production facilities, which allow us to monitor and optimize the quality of every product.

In recent years, we have grown into a company of 60 employees with an 8,000 m² warehouse. Our large stock enables us to deliver quickly to customers wherever they are. We currently operate in 26 European countries and are determined to become the global market leader in smart steel garden products.

Our mission is simple: to enrich our customers' outdoor areas with practical, aesthetic and durable garden products. Whether you have a small urban garden or a large outdoor space, our products always offer the perfect solution. We are committed to thoughtful designs that enhance the ease of use while providing a luxurious look.

Our core values:

Quality: We make no compromises when it comes to the quality of our products.

Reliability: We deliver quickly from our large stock.

Innovation: We continue to innovate to provide the best garden solutions time after time.

Durability: Our products are designed to withstand a long life.

MYSTEEL DUTCH PRODUCTS IS ALL ABOUT QUALITY, SPEED AND INNOVATION. WHETHER YOU ARE A GARDEN PROFESSIONAL OR AN INDIVIDUAL LOOKING TO UPGRADE YOUR GARDEN, WE MAKE SURE YOU ALWAYS GET THE BEST AT A FAIR PRICE.



TABLE OF CONTENTS

MATERIALS.....	6
MYSTEEL COLORS	7
RUST ACCELERATOR & DEGREASER	8
GARDEN FENCING	10
Garden panels	12
Garden fences	14
Decorative fences	16
Steel posts	17
GARDEN DESIGN	18
Pellet patio heaters	20
Pergolas	22
Stepping stones	24
Water tables	25
Log storages & picnic tables	26
Stairs & letterboxes	27
Plinths	28
GARDEN EDGING	30
Border edging	32
Retaining walls	34
U-profiles	36
PLANTERS	38
Fibreglass planters	40
Welded planters & Cone planters	42
Square planters	46
Rectangular planters	48
Square planters XXL	52
Rectangular planters XXL	53
L-shape planters	58
Hexagonal & octagonal planters	60
Triangular planters	61
Planters with bench	62



MATERIALS



Corten steel
Corten steel is a strong, weathering steel with a distinctive look. Outdoors, it forms a thin, protective rust-like layer that slows corrosion and keeps maintenance low. Its warm, earthy colour blends naturally with gardens and architecture, adding visual appeal as well as long-lasting performance.



Powder coated galvanized steel
Powder-coated galvanised steel is strong and highly rust-resistant. The galvanised layer prevents corrosion, while the powder coat provides a durable, coloured finish.



Fiberglass
Fibreglass is lightweight yet strong, built to endure all weather conditions. Its durable, UV-resistant finish protects against fading and keeps its smooth, vibrant appearance for years.



Sendzimir galvanized steel
Sendzimir galvanised steel offers high strength and excellent corrosion resistance. Its zinc coating seals the surface and protects the steel from rust.



Aluminium
Aluminium is a lightweight, strong metal with excellent corrosion resistance. It is fully recyclable, making it a sustainable choice.



Douglas wood
Douglas fir is a durable, versatile softwood with good strength and a warm, natural appearance.




STANDARD COLORS


Choose from our standard colours to give powder-coated steel products an elegant finish. Each colour is timeless and easy to match with outdoor or interior styles.



RAL7016 matte
(Anthracite grey)



RAL9005 matte
(Black)




RAL9010 matte
(White)

SPECIAL COLORS

Give your powder-coated steel products a unique look with one of our exclusive colours. The premium finish is durable and colour-fast for long-lasting style.



Corten look



Concrete look



Sand look




Gold



Copper




Bronze



Seagreen



Blossom pink



Firebrick red



Olive green



RUST ACCELERATOR & DEGREASER



Can't wait to see that warm, distinctive patina form on your Corten steel planter or garden feature? With the MySteel Degreaser and the MySteel Rust Accelerator Pro+, you have the perfect duo to create a unique, natural look in no time. One treatment is all it takes to reveal depth, texture, and atmosphere in your outdoor space.

Corten steel comes with a light oil coating that slows oxidation. The MySteel Degreaser gently removes this layer, preparing the surface for a beautiful, even rusting process — the first step toward timeless outdoor elegance.

BOTTLES	
Product	
MySteel rust accelerator PRO+	MSRACC
MySteel degreaser	MSCLEA
MySteel rust accelerator PRO+ - Combi deal	MSRACC-CLEA
MySteel rust accelerator PRO+ - Mega deal	MSRACCBOX





GARDEN FENCING

Perfect for enclosing your garden, creating privacy, and adding a modern, industrial touch. Our steel garden fences are versatile for defining zones and edges, giving a sleek, contemporary look.





CORTEN STEEL
Garden panel Tree design set 240 x 6 x 190 cm
4x Panel (in different designs) 60 x 6 x 190 cm

Our panels enhance privacy and comfort in every garden. They are unique, functional, attractive, decorative, and durable.



CORTEN STEEL
Garden panel
post straight with
support pin
190 x 6 x 3 cm



CORTEN STEEL
Garden panel
post straight with
flat base
190 x 6 x 3 cm



CORTEN STEEL
Tulip symmetrical
120 x 6 x 190 cm



CORTEN STEEL
Lily
120 x 6 x 190 cm



CORTEN STEEL
Mountains composition 3
60 x 6 x 190 cm



CORTEN STEEL
Base composition
80 x 6 x 190 cm

CORTEN STEEL		
Model		Dimensions
Tulip symmetrical	PACO1900X1200X60A1-1	120 x 6 x 190 cm
Tulip asymmetrical	PACO1900x1200x60A1-2	120 x 6 x 190 cm
Poppy	PACO1900X1200X60A3	120 x 6 x 190 cm
Cornflower	PACO1900X1200X60A4	120 x 6 x 190 cm
Lily	PACO1900X1200X60A5	120 x 6 x 190 cm
Leaves 1	PACO1900X1200X60A6-1	120 x 6 x 190 cm
Leaves 2	PACO1900X1200X60A6-2	120 x 6 x 190 cm
Leaves 3	PACO1900X1200X60A6-3	120 x 6 x 190 cm
Tree part 1	PACO1900x600x60A7-1	60 x 6 x 190 cm
Tree part 2	PACO1900x600x60A7-2	60 x 6 x 190 cm
Tree part 3	PACO1900x600x60A7-3	60 x 6 x 190 cm
Tree part 4	PACO1900x600x60A7-4	60 x 6 x 190 cm
Bamboo	PACO1900X1200X60A8	120 x 6 x 190 cm
Mountains part 1	PACO1900X600X60B1-1	60 x 6 x 190 cm
Mountains part 3	PACO1900X600X60B1-3	60 x 6 x 190 cm

Base	PABACO1900x600x60	60 x 6 x 190 cm
Base	PABACO1900x800x60	80 x 6 x 190 cm
Base	PABACO1900x1000x60	100 x 6 x 190 cm
Base	PABACO1900x1200x60	120 x 6 x 190 cm
Post with support pin	PASTCORE1900GRP	190 (Height)
Post with flat base	PASTCORE1900VOET	190 (Height)
Post with support pin (corner)	PASTCOHO1900GRP	190 (Height)
Post with flat base (corner)	PASTCOHO1900VOET	190 (Height)
Trees comple set	PATREECOSSET	240 x 6 x 190 cm





CORTEN STEEL
Set 258 x 6 x 190 cm
6x Panel (Solid design)

Design your outdoor space your way with our modern horizontal panels – versatile, elegant, and easy to arrange.

CORTEN STEEL
Garden fence post straight with support pin
190 x 6 x 6 cm



CORTEN STEEL
Garden fence post straight with base plate
190 x 6 x 6 cm



CORTEN STEEL
Roof motif
180 x 47,5 x 6 cm



CORTEN STEEL
Solid
180 x 47,5 x 6 cm



CORTEN STEEL
Bubble motif
180 x 47,5 x 6 cm

CORTEN STEEL		
Model		Dimensions
Panel 475x1200	SCHHORCOI200X475X60	120 x 47,5 x 6 cm
Panel 475x1200 Roof motif	SCHHORCOI200X475x60DAK	120 x 47,5 x 6 cm
Panel 475x1200 Bubble motif	SCHHORCOI200X475x60BUB	120 x 47,5 x 6 cm
Panel 475x1800	SCHHORCOI800X475x60	180 x 47,5 x 6 cm
Panel 475x1800 Roof motif	SCHHORCOI800X475x60DAK	180 x 47,5 x 6 cm
Panel 475x1800 Bubble motif	SCHHORCOI800X475x60BUB	180 x 47,5 x 6 cm
Panel 633x1200	SCHHORCOI200X633x60	120 x 63,3 x 6 cm
Panel 633x1200 Roof motif	SCHHORCOI200X633x60DAK	120 x 63,3 x 6 cm
Panel 633x1200 Bubble motif	SCHHORCOI200X633x60BUB	120 x 63,3 x 6 cm
Panel 633x1800	SCHHORCOI800X633x60	180 x 63,3 x 6 cm
Panel 633x1800 Roof motif	SCHHORCOI800X633x60DAK	180 x 63,3 x 6 cm
Panel 633x1800 Bubble motif	SCHHORCOI800X633x60BUB	180 x 63,3 x 6 cm
Fence post 475 intermediate with support pin	SCHHORCOST475DLGRP	190 x 6 x 6 cm
Fence post 475 end with support pin	SCHHORCOST475EIGRP	190 x 6 x 6 cm
Fence post 475 corner with support pin	SCHHORCOST475HOGRP	190 x 6 x 6 cm
Fence post 633 intermediate with support pin	SCHHORCOST633DLGRP	190 x 6 x 6 cm

Fence post 633 end with support pin	SCHHORCOST633EIGRP	190 x 6 x 6 cm
Fence post 633 corner with support pin	SCHHORCOST633HOGRP	190 x 6 x 6 cm
Fence post 475 intermediate with base plate	SCHHORCOST475DLVOET	190 x 6 x 6 cm
Fence post 475 end with base plate	SCHHORCOST475EIVOET	190 x 6 x 6 cm
Fence post 475 corner with base plate	SCHHORCOST475HOVOET	190 x 6 x 6 cm
Fence post 633 intermediate with base plate	SCHHORCOST633DLVOET	190 x 6 x 6 cm
Fence post 633 end with base plate	SCHHORCOST633EIVOET	190 x 6 x 6 cm
Fence post 633 corner with flate base	SCHHORCOST633HOVOET	190 x 6 x 6 cm
Set 475 x 1200	SCHHORCOSET475x1200	120 x 47,5 x 6 cm
Set 475 x 1800	SCHHORCOSET475x1800	180 x 47,5 x 6 cm
Set 633 x 1200	SCHHORCOSET633x1200	120 x 63,3 x 6 cm
Set 633 x 1800	SCHHORCOSET633x1800	180 x 63,3 x 6 cm





CORTEN STEEL

Geographic design

149 x 3 x 60 cm



CORTEN STEEL

Traditional design

149 x 3 x 60 cm

Steel decorative fences combine elegance with strength. With versatile design options and durable corten steel, they offer timeless style, enhanced security, and a perfect match for any property.



CORTEN STEEL

Intermediate post

110 x 6 x 6 cm



CORTEN STEEL

End post

110 x 6 x 6 cm



CORTEN STEEL

Corner post

110 x 6 x 6 cm



CORTEN STEEL

Minimalistic design

149 x 3 x 60 cm



CORTEN STEEL

Solid design

149 x 3 x 60 cm



CORTEN STEEL

Nature design

149 x 3 x 60 cm

Define your garden with style – these posts offer structure without blocking your view.



POWDER COATED STEEL

12 x 12 x 200 cm



CORTEN STEEL

12 x 12 x 60 cm



CORTEN STEEL

12 x 12 x 80 cm



CORTEN STEEL

12 x 12 x 100 cm

CORTEN STEEL		
Model		Dimensions
Decor Traditional	SHCDECH1BTRADITIONAL	149 x 3 x 60 cm
Decor Nature	SHCDECH2CNATURE	149 x 3 x 60 cm
Decor Geographic	SHCDECH3AGEOGRAPHIC	149 x 3 x 60 cm
Decor Minimal	SHCDECH4AMINIMAL	149 x 3 x 60 cm
Decor Solid	SHCDECSOLID	149 x 3 x 60 cm
Intermediate post	SHCOSTDL	110 x 6 x 6 cm
End post	SHCOSTEI	110 x 6 x 6 cm
Corner post	SHCOSTHO	110 x 6 x 6 cm

CORTEN STEEL	
Model	Dimensions
TAPCO600	12 x 12 x 60 cm
TAPCO800	12 x 12 x 80 cm
TAPCO1000	12 x 12 x 100 cm
TAPCO1500	12 x 12 x 150 cm
TAPCO2000	12 x 12 x 200 cm



GARDEN DESIGN

Planning a new garden design and thinking about steel elements? Explore steel water tables, log storages, letterboxes, stairs, and more. Available in materials and designs that suit your garden best.



Create a warm and inviting outdoor space with a modern pellet patio heater. This stylish and eco-friendly heater provides natural warmth without electricity, featuring a visible flame behind heat-resistant glass.

Enjoy cozy, cordless comfort and contemporary design wherever you are.

CORTEN STEEL

Dimensions	Model	
139 x 35 x 35	Square	PTVCOSQUARE
158 x 58 x 30	Rocket	PTVCOROCKET

STEEL

Dimensions	Model	
139 x 35 x 35	Square	PTVZWSQUARE
158 x 58 x 30	Rocket	PTVZWROCKET



CORTEN STEEL - ROCKET



STEEL - SQUARE



STEEL - ROCKET



ACCESSORIES

Product	
Protective cover - Square	PTVCOVERSQUARE
Protective cover - Rocket	PTVCOVERROCKET
Pellet hopper	PTCILSQUARE
Wood pellets (1x bag)	PTVPEL
Wood pellets (pallet)	PTVPELPAL



WOOD PELLETS



PELLET HOPPER



PROTECTIVE COVER - SQUARE



Elevate your outdoor living with our steel pergolas. Combining refined design with lasting strength, they create the perfect framework for lush greenery, a stylish lounge area, or an elegant garden walkway. Timeless, low-maintenance, and built to endure.



CORTEN STEEL
Setup 224 x 200 x 230 cm



CONCRETE BASE
15 x 15 x 60 cm

CORTEN STEEL			
Dimensions	Setups		
	Corner	Straight	Square
600 x 412 x 242 cm	PECOHO6000X4120		
+ Concrete base	PECOHO6000X4120P		
150 x 242 cm		PECOREI500	
+ Concrete base		PECOREI500P	
200 x 242 cm		PECORE2000	
+ Concrete base		PECORE2000P	
250 x 242 cm		PECORE2500	
+ Concrete base		PECORE2500P	
300 x 242 cm		PECORE3000	
+ Concrete base		PECORE3000P	
350 x 242 cm		PECORE3500	
+ Concrete base		PECORE3500P	
400 x 242 cm		PECORE4000	
+ Concrete base		PECORE4000P	

	Corner	Straight	Square
324 x 250 x 230 cm			PECOVK3240X2500
+ Concrete base			PECOVK3240X2500P
424 x 250 x 230 cm			PECOVK4240X2500
+ Concrete base			PECOVK4240X2500P
424 x 300 x 230 cm			PECOVK4240X3000
+ Concrete base			PECOVK4240X3000P
224 x 200 x 230 cm			PECOVK2240X2000
+ Concrete base			PECOVK2240X2000P
274 x 250 x 230 cm			PECOVK2740X2500
+ Concrete base			PECOVK2740X2500P
324 x 300 x 230 cm			PECOVK3240X3000
+ Concrete base			PECOVK3240X3000P



CORTEN STEEL
150 x 242 cm



RAL 9010
200 x 242 cm



RAL 7016
250 x 242 cm



RAL 9005
300 x 242 cm



CORTEN STEEL
400 x 242 cm



RAL 7016
Setup 224 x 200 x 230 cm



RAL 7016
Setup 274 x 250 x 230 cm



RAL 9005
Setup 324 x 300 x 230 cm



CORTEN STEEL
Setup 424 x 250 x 230 cm



RAL 9010
Setup 424 x 300 x 230 cm



RAL 7016
Setup 600 x 412 x 242 cm

POWDER COATED STEEL			
Dimensions	Setups		
	Corner	Straight	Square
600 x 412 x 242 cm	PEPCHO6000X4120		
+ Concrete base	PEPCHO6000X4120P		
150 x 242 cm		PEPCREI500	
+ Concrete base		PEPCREI500P	
200 x 242 cm		PEPCRE2000	
+ Concrete base		PEPCRE2000P	
250 x 242 cm		PEPCRE2500	
+ Concrete base		PEPCRE2500P	
300 x 242 cm		PEPCRE3000	
+ Concrete base		PEPCRE3000P	
350 x 242 cm		PEPCRE3500	
+ Concrete base		PEPCRE3500P	
400 x 242 cm		PEPCRE4000	
+ Concrete base		PEPCRE4000P	


	Corner	Straight	Square
324 x 250 x 230 cm			PEPCVK3240X2500
+ Concrete base			PEPCVK3240X2500P
424 x 250 x 230 cm			PEPCVK4240X2500
+ Concrete base			PEPCVK4240X2500P
424 x 300 x 230 cm			PEPCVK4240X3000
+ Concrete base			PEPCVK4240X3000P
224 x 200 x 230 cm			PEPCVK2240X2000
+ Concrete base			PEPCVK2240X2000P
274 x 250 x 230 cm			PEPCVK2740X2500
+ Concrete base			PEPCVK2740X2500P
324 x 300 x 230 cm			PEPCVK3240X3000
+ Concrete base			PEPCVK3240X3000P

The pergolas are available in any RAL color.



Corten steel stepping stones offer a practical and stylish way to access your garden without muddy feet. Available in various geometric shapes and sizes, they add a refined touch to lawns and pathways. Also available in our distinctive **Organic** collection.

CORTEN STEEL		
Model	Dimensions	
Square	30 x 30 cm	STVKC300
Square	40 x 40 cm	STVKC400
Square	50 x 50 cm	STVKC500
Rectangle	60 x 25 cm	STRHC600x250
Rectangle	75 x 25 cm	STRHC750x250
Round	Ø 25 cm	STRDC250
Round	Ø 50 cm	STRDC500
Round	Ø 75 cm	STRDC750
Organic	30 x 30 cm	STOGC300
Organic	40 x 40 cm	STOGC400
Organic	50 x 25 cm	STOGC500X250
Organic	50 x 50 cm	STOGC500



Water tables are striking centerpieces that bring movement and reflection to any garden. Each comes with a matching pump, and the corten steel models also offer optional LED lighting. With a choice of colors, they blend seamlessly into every garden style.



CORTEN STEEL			
Model	Dimensions	Options	
		Excl. LED	Incl. LED
Water feature	50 x 50 x 40 cm	WOC500x500x400	WOC500x500x400L
Water feature	80 x 80 x 40 cm	WOC800x800x400	WOC800x800x400L
Water feature	80 x 80 x 80 cm	WOC800x800x800	WOC800x800x800L
Water table	50 x 50 x 40 cm	WTC500x500x400	WTC500x500x400L
Water table	80 x 80 x 40 cm	WTC800x800x400	WTC800x800x400L
Water table	100 x 100 x 40 cm	WTC1000x1000x400	WTC1000x1000x400L
Water table	120 x 120 x 40 cm	WTC1200x1200x400	WTC1200x1200x400L
Water table	200 x 80 x 40 cm	WTC2000x800x400	WTC2000x800x400L
Water table	300 x 80 x 40 cm	WTC3000x800x400	WTC3000x800x400L

POWDER COATED STEEL		
Model	Dimensions	Incl. LED
Water table	50 x 50 x 40 cm	WTAL500x500x400
Water table	80 x 80 x 40 cm	WTAL800x800x400
Water table	100 x 100 x 40 cm	WTAL1000x1000x400
Water table	120 x 120 x 40 cm	WTAL1200x1200x400
Water table	200 x 80 x 40 cm	WTAL2000x800x400
Water table	300 x 80 x 40 cm	WTAL3000x800x400

The water tables are available in any RAL color.



A wood storage combines function and style – perfect for keeping firewood close to your outdoor lounge or under your pergola, ready for cozy evenings by the fire. Its sleek design adds a stylish touch to any garden setting.

CORTEN STEEL

Dimensions	
100 x 80 x 40 cm	HOCIN1000x800x400
100 x 100 x 40 cm	HOCIN1000x1000x400
100 x 120 x 40 cm	HOCIN1000x1200x400
180 x 80 x 40 cm	HOCIN1800x800x400
180 x 100 x 40 cm	HOCIN1800x1000x400
180 x 120 x 40 cm	HOCIN1800x1200x400

CORTEN STEEL CUBE

Dimensions 40 x 40 x 40 cm	
1 piece	HOCC1
4 pieces	HOCC4
6 pieces	HOCC6
8 pieces	HOCC8

POWDER COATED STEEL

Dimensions	
100 x 80 x 40 cm	HOPCINI1000x800x400
100 x 100 x 40 cm	HOPCINI1000x1000x400
100 x 120 x 40 cm	HOPCINI1000x1200x400
180 x 80 x 40 cm	HOPCINI1800x800x400
180 x 100 x 40 cm	HOPCINI1800x1000x400
180 x 120 x 40 cm	HOPCINI1800x1200x400

The wood storages are available in any RAL color.



PICKNICKTABLE

Model	Length	
S	160 cm	PTGEOS
M	200 cm	PTGEOM
L	240 cm	PTGEOL

A stylish picnic table that complements any garden with its sleek, timeless design. Featuring a textured black frame and Douglas wood tabletop and benches, it blends durability with contemporary elegance.

Our stairs come in 2 to 5-step models and three widths, making raised or lowered terraces easily accessible. Simple to install, they include a complete mounting kit for effortless setup.



CORTEN STEEL

Steps	Width	Height	
2	80 cm	34 cm	TRCNY2x800
2	100 cm	34 cm	TRCNY2x1000
2	120 cm	34 cm	TRCNY2x1200
3	80 cm	51 cm	TRCNY3x800
3	100 cm	51 cm	TRCNY3x1000
3	120 cm	51 cm	TRCNY3x1200
4	80 cm	68 cm	TRCNY4x800
4	100 cm	68 cm	TRCNY4x1000
4	120 cm	68 cm	TRCNY4x1200
5	80 cm	85 cm	TRCNY5x800
5	100 cm	85 cm	TRCNY5x1000
5	120 cm	85 cm	TRCNY5x1200

BLACK

Steps	Width	Height	
2	80 cm	34 cm	TRZWNY2x800
2	100 cm	34 cm	TRZWNY2xi000
2	120 cm	34 cm	TRZWNY2xi200
3	80 cm	51 cm	TRZWNY3x800
3	100 cm	51 cm	TRZWNY3xi000
3	120 cm	51 cm	TRZWNY3xi200
4	80 cm	68 cm	TRZWNY4x800
4	100 cm	68 cm	TRZWNY4xi000
4	120 cm	68 cm	TRZWNY4xi200
5	80 cm	85 cm	TRZWNY5x800
5	100 cm	85 cm	TRZWNY5xi000
5	120 cm	85 cm	TRZWNY5xi200



CORTEN STEEL

Model	Dimensions	
S	44 x 44 x 100 cm	BBCARIS
M	44 x 64 x 100 cm	BBCARIM

A modern and timeless letterbox. The letterbox is equipped with an insert at the front, and at the back of a door with a lock.

Our plinths combine elegance and versatility – perfect for displaying a statue, plant, or even serving as an extension table in your outdoor space. Crafted from durable Corten steel, it adds a timeless, stylish touch to any garden setting.

CORTEN STEEL	
Dimensions	
30 x 30 x 40 cm	SOC300x300x400
30 x 30 x 60 cm	SOC300x300x600
30 x 30 x 80 cm	SOC300x300x800
30 x 30 x 100 cm	SOC300x300x1000
40 x 40 x 40 cm	SOC400x400x400
40 x 40 x 60 cm	SOC400x400x600
40 x 40 x 80 cm	SOC400x400x800
40 x 40 x 100 cm	SOC400x400x1000



CORTEN STEEL

40 x 40 x 40 cm



CORTEN STEEL

40 x 40 x 80 cm



CORTEN STEEL

40 x 40 x 100 cm






GARDEN EDGING

Transform your garden with steel borders that add stylish height changes in a modern, sturdy way. Whether you prefer crisp straight lines or smooth curves, we have steel garden borders to suit your design.





BORDER EDGING



Create a polished garden border with our steel border edging. Clearly define lawns, flower beds, and pathways with ease. Available in a variety of profiles – straight, set, crushed, and our highly flexible ‘FLEX’-solution.



Straight



Bent



Flattened



FLEX

CORTEN STEEL					
Model		Low	Medium	High	High XL
 Ground Pin	GPCKL	GPCGR	GPC350	GPC450	
 Coupling plate 90°	KPC90KL	KPC90GR	KPC90X350	KPC90X450	
 Coupling plate 45°	KPC45KL	KPC45GR	KPC45X350	KPC45X450	
 Coupling plate straight	KPCREKL	KPCREGR	KPCRE350	KPCRE450	
 Inner corner	KOGZCBIH20	KOGZCBIH220	KOGZCBIH340	KOGZCBIH450	
 Outer corner	KOGZCBUH20	KOGZCBUH220	KOGZCBUH340	KOGZCBUH450	
 Self-tapping screw	ZT	ZT	ZT	ZT	

Variant small is also available in galvanized steel.



CORTEN STEEL							
Model	Height	Length		Model	Height	Length	
Flattened	13 cm	150 cm	KOGPC130x1500	Straight	15 cm	150 cm	KOREC150x1500
Flattened	13 cm	240 cm	KOGPC130x2400	Straight	15 cm	240 cm	KOREC150x2400
Flattened	23 cm	150 cm	KOGPC230x1500	Straight	25 cm	150 cm	KOREC250x1500
Flattened	23 cm	240 cm	KOGPC230x2400	Straight	25 cm	240 cm	KOREC250x2400
Flattened	35 cm	150 cm	KOGPC350x1500	Straight	37,5 cm	150 cm	KOREC375x1500
Flattened	35 cm	240 cm	KOGPC350x2400	Straight	37,5 cm	240 cm	KOREC375x2400
Flattened	45 cm	150 cm	KOGPC450x1500				
Flattened	45 cm	240 cm	KOGPC450x2400				

The 13 cm crushed border edge is also available in galvanized steel.

CORTEN STEEL							
Model	Height	Length		Model	Height	Length	
Bent	12 cm	150 cm	KOGZC120x1500	FLEX	13 cm	150 cm	KOGPBBC130x1500
Bent	12 cm	240 cm	KOGZC120x2400	FLEX	13 cm	240 cm	KOGPBBC130x2400
Bent	22 cm	150 cm	KOGZC220x1500	FLEX	23 cm	150 cm	KOGPBBC230x1500
Bent	22 cm	240 cm	KOGZC220x2400	FLEX	23 cm	240 cm	KOGPBBC230x2400
Bent	34 cm	150 cm	KOGZC340x1500	FLEX	35 cm	150 cm	KOGPBBC350x1500
Bent	34 cm	240 cm	KOGZC340x2400	FLEX	35 cm	240 cm	KOGPBBC350x2400
Bent	45 cm	150 cm	KOGZC450x1500	FLEX	45 cm	150 cm	KOGPBBC450x1500
Bent	45 cm	240 cm	KOGZC450x2400	FLEX	45 cm	240 cm	KOGPBBC450x2400

CORTENSTAAL			
Model	Height	Length per strip	
 Flattened complete set	13 cm	150 cm	KOGPCCOMPL130x15
	13 cm	240 cm	KOGPCCOMPL130x24
	23 cm	150 cm	KOGPCCOMPL230x15
	23 cm	240 cm	KOGPCCOMPL230x24
 Straight complete set	15 cm	150 cm	KORECCOMPL150x15
	15 cm	240 cm	KORECCOMPL150x24
	25 cm	150 cm	KORECCOMPL250x15
	25 cm	240 cm	KORECCOMPL250x24

The complete set is supplied including ground stakes, straight connecting plates and self-tapping screws.

 Bent complete set	12 cm	150 cm	KOGZCCOMPL120x15
	12 cm	240 cm	KOGZCCOMPL120x24
	22 cm	150 cm	KOGZCCOMPL220x15
	22 cm	240 cm	KOGZCCOMPL220x24
 FLEX complete set	13 cm	150 cm	KOGPBCCOMPL130x15
	13 cm	240 cm	KOGPBCCOMPL130x24
	23 cm	150 cm	KOGPBCCOMPL230x15
	23 cm	240 cm	KOGPBCCOMPL230x24



CORTEN STEEL
100 x 100 x 30 cm

Our steel retaining walls bring versatility and style to your garden. Effortlessly shape curves or straight lines, create height differences, define borders, or use them as sleek, durable planters.

CORTEN STEEL		Height				
Model	Dimension	30 cm	40 cm	50 cm	60 cm	
	Straight	100 cm	KWCREI000x300	KWCREI000x400	KWCREI000x500	KWCREI000x600
	Straight	150 cm	KWCREI500x300	KWCREI500x400	KWCREI500x500	KWCREI500x600
	Straight	200 cm	KWCRE2000x300	KWCRE2000x400	KWCRE2000x500	KWCRE2000x600
	Inner corner	50 x 50 cm	KWCBIH500x500x300	KWCBIH500x500x400	KWCBIH500x500x500	KWCBIH500x500x600
	Inner corner	100 x 100 cm	KWCBIH1000x1000x300	KWCBIH1000x1000x400	KWCBIH1000x1000x500	KWCBIH1000x1000x600
	Outer corner	50 x 50 cm	KWCBUH500x500x300	KWCBUH500x500x400	KWCBUH500x500x500	KWCBUH500x500x600
	Outer corner	100 x 100 cm	KWCBUH1000x1000x300	KWCBUH1000x1000x400	KWCBUH1000x1000x500	KWCBUH1000x1000x600
	Inner bend	50 x 50 cm	KWCBIB500x500x300	KWCBIB500x500x400	KWCBIB500x500x500	KWCBIB500x500x600
	Inner bend	100 x 100 cm	KWCBIB1000x1000x300	KWCBIB1000x1000x400	KWCBIB1000x1000x500	KWCBIB1000x1000x600
	Inner bend	150 x 150 cm	KWCBIB1500x1500x300	KWCBIB1500x1500x400	KWCBIB1500x1500x500	KWCBIB1500x1500x600
	Outer bend	50 x 50 cm	KWCBUB500x500x300	KWCBUB500x500x400	KWCBUB500x500x500	KWCBUB500x500x600
	Outer bend	100 x 100 cm	KWCBUB1000x1000x300	KWCBUB1000x1000x400	KWCBUB1000x1000x500	KWCBUB1000x1000x600
	Outer bend	150 x 150 cm	KWCBUB1500x1500x300	KWCBUB1500x1500x400	KWCBUB1500x1500x500	KWCBUB1500x1500x600



RAL 9010 -
OUTER CONER



RAL 7016 -
INNER CONER



RAL 9005 -
INNER BEND



SAND LOOK -
STRAIGHT



BRONZE -
OUTER BEND

Powder Coated Steel		Height				
Model	Dimension	30 cm	40 cm	50 cm	60 cm	
	Straight	100 cm	KWGPRI000x300	KWGPRI000x400	KWGPRI000x500	KWGPRI000x600
	Straight	150 cm	KWGPRI500x300	KWGPRI500x400	KWGPRI500x500	KWGPRI500x600
	Straight	200 cm	KWGPRE2000x300	KWGPRE2000x400	KWGPRE2000x500	KWGPRE2000x600
	Inner corner	50 x 50 cm	KWGPBIH500x500x300	KWGPBIH500x500x400	KWGPBIH500x500x500	KWGPBIH500x500x600
	Inner corner	100 x 100 cm	KWGPBIH1000x1000x300	KWGPBIH1000x1000x400	KWGPBIH1000x1000x500	KWGPBIH1000x1000x600
	Outer corner	50 x 50 cm	KWGPBUH500x500x300	KWGPBUH500x500x400	KWGPBUH500x500x500	KWGPBUH500x500x600
	Outer corner	100 x 100 cm	KWGPBUH1000x1000x300	KWGPBUH1000x1000x400	KWGPBUH1000x1000x500	KWGPBUH1000x1000x600
	Inner bend	50 x 50 cm	KWGPBIB500x500x300	KWGPBIB500x500x400	KWGPBIB500x500x500	KWGPBIB500x500x600
	Inner bend	100 x 100 cm	KWGPBIB1000x1000x300	KWGPBIB1000x1000x400	KWGPBIB1000x1000x500	KWGPBIB1000x1000x600
	Inner bend	150 x 150 cm	KWGPBIB1500x1500x300	KWGPBIB1500x1500x400	KWGPBIB1500x1500x500	KWGPBIB1500x1500x600
	Outer bend	50 x 50 cm	KWGPBUB500x500x300	KWGPBUB500x500x400	KWGPBUB500x500x500	KWGPBUB500x500x600
	Outer bend	100 x 100 cm	KWGPBUB1000x1000x300	KWGPBUB1000x1000x400	KWGPBUB1000x1000x500	KWGPBUB1000x1000x600
	Outer bend	150 x 150 cm	KWGPBUB1500x1500x300	KWGPBUB1500x1500x400	KWGPBUB1500x1500x500	KWGPBUB1500x1500x600



Create a luxurious, modern garden border with our Corten steel U-profile overlay. Easily placed over concrete curbs or pressed into the ground, it compensates for irregularities and pairs beautifully with rusted planters or other Corten elements for a cohesive, stylish garden look.

CORTEN STEEL		
Dimensions	Length	
50 x 50 x 50 cm	150 cm	OZPC50x50x50x1500
50 x 50 x 50 cm	240 cm	OZPC50x50x50x2400
50 x 60 x 50 cm	150 cm	OZPC50x60x50x1500
50 x 60 x 50 cm	240 cm	OZPC50x60x50x2400
50 x 150 x 50 cm	150 cm	OZPC50x150x50x1500
50 x 150 x 50 cm	240 cm	OZPC50x150x50x2400
150 x 50 x 50 cm	150 cm	OZPCI50x50x50x1500
150 x 50 x 50 cm	240 cm	OZPCI50x50x50x2400
150 x 60 x 50 cm	150 cm	OZPCI50x60x50x1500
150 x 60 x 50 cm	240 cm	OZPCI50x60x50x2400
150 x 150 x 50 cm	150 cm	OZPCI50x150x50x1500
150 x 150 x 50 cm	240 cm	OZPCI50x150x50x2400



PLANTERS

Fibreglass Planters

Fibreglass planters are designed for those who value style and elegance. Their smooth surfaces and refined shapes bring a sophisticated touch to any space. The collection features a variety of exclusive designs that are lightweight yet surprisingly strong. Thanks to their weather-resistant properties, they are ideal for both residential and professional settings.

Welded Planters

As the name suggests, these planters are fully welded. The result is a sleek, robust unit with no visible seams or joints. No assembly is required — simply place them in your garden or on your patio. Their solid construction ensures maximum stability and a minimalist, contemporary appearance.

Modular Planters

Modular planters offer flexibility and customization in one system. They come as separate panels that can be easily assembled on-site using a simple bolt system. This makes installation quick and efficient, even for larger projects. Available in corten steel or powder-coated steel, they combine an industrial aesthetic with long-lasting durability and a premium finish.





RAL 9005 - ROUND
Ø 120 x 60 cm



RAL 7021 - CONE
Ø 95 x 70 cm



RAL 9005 - BOWL
Ø 200 x 40 cm

FIBREGLASS - ROUND

Ø	60 cm
Ø 100	PBPEFP1000X600RAL
Ø 120	PBPEFP1200X600RAL
Ø 150	PBPEFP1500X600RAL

FIBREGLASS - BOWL

Ø	20 cm	Height	
		34 cm	40 cm
Ø 120	PBPEEP1200X200RAL		PBPEEP1200X400RAL
Ø 153		PBPEEP1530X340RAL	
Ø 200			PBPEEP2000X400RAL

FIBREGLASS - CONE

Ø	52 cm	70 cm	76 cm	80 cm	100 cm
Ø 55			PBPEGP550X760RAL		
Ø 63	PBPEGP630X520RAL				
Ø 89					PBPEGP890X1000RAL
Ø 95		PBPEGP950X700RAL			
Ø 120				PBPEGP1200X800RAL	

The planters are available in matte RAL9005 (black), RAL9010 (white) and RAL7021 (anthracite).

FIBREGLASS - RECTANGLE

Dimensions	Height					
	20 cm	40 cm	50 cm	60 cm	80 cm	100 cm
90 x 25 cm					PBPEBP900X250X800RAL	
150 x 25 cm					PBPEBP1500X250X800RAL	
100 x 30 cm			PBPEBP1000X300X500RAL			
120 x 30 cm		PBPEBP1200X300X400RAL	PBPEBP1200X300X500RAL	PBPEBP1200X300X600RAL		
200 x 30 cm	PBPEBP2000X300X200RAL			PBPEBP2000X300X600RAL		
60 x 40 cm		PBPEBP600X400X400RAL				
80 x 40 cm		PBPEBP800X400X400RAL			PBPEBP800X400X800RAL	
100 x 40 cm		PBPEBP1000X400X400RAL			PBPEBP1000X400X800RAL	PBPEBP1000X400X1000RAL
120 x 40 cm		PBPEBP1200X400X400RAL	PBPEBP1200X400X500RAL		PBPEBP1200X400X800RAL	
150 x 40 cm		PBPEBP1500X400X400RAL				
200 x 40 cm		PBPEBP2000X400X400RAL				
100 x 50 cm			PBPEBP1000X500X500RAL	PBPEBP1000X500X600RAL		
120 x 50 vm		PBPEBP1200X500X400RAL		PBPEBP1200X500X600RAL		
150 x 50 cm		PBPEBP1500X500X400RAL		PBPEBP1500X500X600RAL		
200 x 50 cm		PBPEBP2000X500X400RAL		PBPEBP2000X500X600RAL		
230 x 50 cm		PBPEBP2300X500X400RAL				
120 x 60 cm		PBPEBP1200X600X400RAL				
200 x 60 cm				PBPEBP2000X600X600RAL		

FIBREGLASS - SQUARE

LxW	Height						
	40 cm	50 cm	60 cm	70 cm	80 cm	100 cm	120 cm
40 cm	PBPEAP400X400X400RAL				PBPECP400X400X800RAL	PBPECP400X400X1000RAL	PBPECP400X400X1200RAL
50 cm		PBPEAP500X500X500RAL			PBPECP500X500X800RAL	PBPECP500X500X1000RAL	PBPECP500X500X1200RAL
60 cm	PBPEAP600X600X400RAL		PBPEAP600X600X600RAL				
70 cm				PBPEAP700X700X700RAL			
80 cm	PBPEAP800X800X400RAL		PBPEAP800X800X600RAL		PBPEAP800X800X800RAL		
100 cm	PBPEAPI000X1000X400RAL		PBPEAPI000X1000X600RAL		PBPEAPI000X1000X800RAL	PBPEAPI000X1000X1000RAL	
120 cm	PBPEAPI200X1200X400RAL		PBPEAPI200X1200X600RAL		PBPEAPI200X1200X800RAL	PBPEAPI200X1200X1000RAL	PBPEAPI000X1000X400RAL
140 cm			PBPEAPI400X1400X600RAL		PBPEAPI400X1400X800RAL	PBPEAPI400X1400X1000RAL	
160 cm			PBPEAPI600X1600X600RAL		PBPEAPI600X1600X800RAL	PBPEAPI600X1600X1000RAL	
200 cm			PBPEAP2000X2000X600RAL				



RAL 9005 - RECTANGLE
120 x 30 x 60 cm



CORTEN STEEL	
Dimensions	
50 x 50 x 50 cm + Bottom plate	PBLASCO500x500x500BODEM
60 x 60 x 60 cm + Bottom plate	PBLASCO600x600x600BODEM
70 x 70 x 70 cm + Bottom plate	PBLASCO700x700x700BODEM
80 x 80 x 40 cm	PBLASCO800x800x400
+ Bottom plate	PBLASCO800x800x400BODEM
80 x 80 x 60 cm	PBLASCO800x800x600
+ Bottom plate	PBLASCO800x800x600BODEM
80 x 80 x 80 cm	PBLASCO800x800x800
+ Bottom plate	PBLASCO800x800x800BODEM
100 x 100 x 40 cm	PBLASCO1000x1000x400
+ Bottom plate	PBLASCO1000x1000x400BODEM
100 x 100 x 60 cm	PBLASCO1000x1000x600
+ Bottom plate	PBLASCO1000x1000x600BODEM
100 x 100 x 80 cm	PBLASCO1000x1000x800
+ Bottom plate	PBLASCO1000x1000x800BODEM
120 x 120 x 40 cm	PBLASCO1200x1200x400
+ Bottom plate	PBLASCO1200x1200x400BODEM
120 x 120 x 60 cm	PBLASCO1200x1200x600
+ Bottom plate	PBLASCO1200x1200x600BODEM
120 x 120 x 80 cm	PBLASCO1200x1200x800
+ Bottom plate	PBLASCO1200x1200x800BODEM
140 x 140 x 40 cm	PBLASCO1400x1400x400
+ Bottom plate	PBLASCO1400x1400x400BODEM
140 x 140 x 60 cm	PBLASCO1400x1400x600
+ Bottom plate	PBLASCO1400x1400x600BODEM
140 x 140 x 80 cm	PBLASCO1400x1400x800
+ Bottom plate	PBLASCO1400x1400x800BODEM
200 x 200 x 40 cm	PBLASCO2000x2000x400
200 x 200 x 60 cm	PBLASCO2000x2000x600
200 x 200 x 80 cm	PBLASCO2000x2000x800
100 x 50 x 50 cm + Bottom plate	PBLASCO1000x500x500BODEM
120 x 50 x 50 cm + Bottom plate	PBLASCO1200x500x500BODEM
150 x 50 x 50 cm + Bottom plate	PBLASCO1500x500x500BODEM
200 x 50 x 50 cm + Bottom plate	PBLASCO2000x500x500BODEM
200 x 100 x 40 cm	PBLASCO2000x1000x400
200 x 100 x 60 cm	PBLASCO2000x1000x600



CORTEN STEEL

80 x 80 x 40 cm



CORTEN STEEL

80 x 80 x 80 cm



CORTEN STEEL

100 x 50 x 50 cm



CORTEN STEEL

140 x 140 x 60 cm



CORTEN STEEL

60 x 60 x 40 cm



CORTEN STEEL

80 x 80 x 50 cm

A cone-shaped planter in Corten steel, adding a striking, sculptural element to any garden. Available in various sizes to suit every space.

CORTEN STAAL	
Dimensions	
60 x 60 x 80 cm	PBPILASC600x600x800
80 x 80 x 100 cm	PBPILASC800x800x1000







CORTEN STEEL						
Dimensions	Height					
	30 cm	40 cm	50 cm	60 cm	70 cm	80 cm
30 x 30 cm	PBCOMI300x300x300	PBCOMI300x300x400		PBCOMI300x300x600		PBCOMI300x300x800
+ Bottom plate	PBCOMI300x300x300B	PBCOMI300x300x400B		PBCOMI300x300x600B		PBCOMI300x300x800B
+ Adjustable feet	PBCOMI300x300x300BV	PBCOMI300x300x400BV		PBCOMI300x300x600BV		PBCOMI300x300x800BV
+ Castors	PBCOMI300x300x300BW	PBCOMI300x300x400BW		PBCOMI300x300x600BW		PBCOMI300x300x800BW
40 x 40 cm	PBCOMI400x400x300	PBCOMI400x400x400		PBCOMI400x400x600		PBCOMI400x400x800
+ Bottom plate	PBCOMI400x400x300B	PBCOMI400x400x400B		PBCOMI400x400x600B		PBCOMI400x400x800B
+ Adjustable feet	PBCOMI400x400x300BV	PBCOMI400x400x400BV		PBCOMI400x400x600BV		PBCOMI400x400x800BV
+ Castors	PBCOMI400x400x300BW	PBCOMI400x400x400BW		PBCOMI400x400x600BW		PBCOMI400x400x800BW
50 x 50 cm	PBCOMI500x500x300	PBCOMI500x500x400	PBCOMI500x500x500	PBCOMI500x500x600		PBCOMI500x500x800
+ Bottom plate	PBCOMI500x500x300B	PBCOMI500x500x400B	PBCOMI500x500x500B	PBCOMI500x500x600B		PBCOMI500x500x800B
+ Adjustable feet	PBCOMI500x500x300BV	PBCOMI500x500x400BV	PBCOMI500x500x500BV	PBCOMI500x500x600BV		PBCOMI500x500x800BV
+ Castors	PBCOMI500x500x300BW	PBCOMI500x500x400BW	PBCOMI500x500x500BW	PBCOMI500x500x600BW		PBCOMI500x500x800BW
60 x 60 cm	PBCOMI600x600x300	PBCOMI600x600x400		PBCOMI600x600x600		PBCOMI600x600x800
+ Bottom plate	PBCOMI600x600x300B	PBCOMI600x600x400B		PBCOMI600x600x600B		PBCOMI600x600x800B
+ Adjustable feet	PBCOMI600x600x300BV	PBCOMI600x600x400BV		PBCOMI600x600x600BV		PBCOMI600x600x800BV
+ Castors	PBCOMI600x600x300BW	PBCOMI600x600x400BW		PBCOMI600x600x600BW		PBCOMI600x600x800BW
70 x 70 cm					PBCOMI700x700x700	
+ Bottom plate					PBCOMI700x700x700B	
+ Adjustable feet					PBCOMI700x700x700BV	
+ Castors					PBCOMI700x700x700BW	
80 x 80 cm	PBCOMI800x800x300	PBCOMI800x800x400		PBCOMI800x800x600		PBCOMI800x800x800
+ Bottom plate	PBCOMI800x800x300B	PBCOMI800x800x400B		PBCOMI800x800x600B		PBCOMI800x800x800B
+ Adjustable feet	PBCOMI800x800x300BV	PBCOMI800x800x400BV		PBCOMI800x800x600BV		PBCOMI800x800x800BV
+ Castors	PBCOMI800x800x300BW	PBCOMI800x800x400BW		PBCOMI800x800x600BW		PBCOMI800x800x800BW
100 x 100 cm	PBCOMI1000x1000x300	PBCOMI1000x1000x400	PBCOMI1000x1000x500	PBCOMI1000x1000x600		PBCOMI1000x1000x800
+ Bottom plate	PBCOMI1000x1000x300B	PBCOMI1000x1000x400B	PBCOMI1000x1000x500B	PBCOMI1000x1000x600B		PBCOMI1000x1000x800B
120 x 120 cm	PBCOMI1200x1200x300	PBCOMI1200x1200x400		PBCOMI1200x1200x600		PBCOMI1200x1200x800
+ Bottom plate	PBCOMI1200x1200x300B	PBCOMI1200x1200x400B		PBCOMI1200x1200x600B		PBCOMI1200x1200x800B

POWDER COATED STEEL						
Dimensions	Height					
	30 cm	40 cm	50 cm	60 cm	70 cm	80 cm
30 x 30 cm	PBPCMI300x300x300	PBPCMI300x300x400		PBPCMI300x300x600		PBPCMI300x300x800
+ Bottom plate	PBPCMI300x300x300B	PBPCMI300x300x400B		PBPCMI300x300x600B		PBPCMI300x300x800B
+ Adjustable feet	PBPCMI300x300x300BV	PBPCMI300x300x400BV		PBPCMI300x300x600BV		PBPCMI300x300x800BV
+ Castors	PBPCMI300x300x300BW	PBPCMI300x300x400BW		PBPCMI300x300x600BW		PBPCMI300x300x800BW
40 x 40 cm	PBPCMI400x400x300	PBPCMI400x400x400		PBPCMI400x400x600		PBPCMI400x400x800
+ Bottom plate	PBPCMI400x400x300B	PBPCMI400x400x400B		PBPCMI400x400x600B		PBPCMI400x400x800B
+ Adjustable feet	PBPCMI400x400x300BV	PBPCMI400x400x400BV		PBPCMI400x400x600BV		PBPCMI400x400x800BV
+ Castors	PBPCMI400x400x300BW	PBPCMI400x400x400BW		PBPCMI400x400x600BW		PBPCMI400x400x800BW
50 x 50 cm	PBPCMI500x500x300	PBPCMI500x500x400	PBPCMI500x500x500	PBPCMI500x500x600		PBPCMI500x500x800
+ Bottom plate	PBPCMI500x500x300B	PBPCMI500x500x400B	PBPCMI500x500x500B	PBPCMI500x500x600B		PBPCMI500x500x800B
+ Adjustable feet	PBPCMI500x500x300BV	PBPCMI500x500x400BV	PBPCMI500x500x500BV	PBPCMI500x500x600BV		PBPCMI500x500x800BV
+ Castors	PBPCMI500x500x300BW	PBPCMI500x500x400BW	PBPCMI500x500x500BW	PBPCMI500x500x600BW		PBPCMI500x500x800BW
60 x 60 cm	PBPCMI600x600x300	PBPCMI600x600x400		PBPCMI600x600x600		PBPCMI600x600x800
+ Bottom plate	PBPCMI600x600x300B	PBPCMI600x600x400B		PBPCMI600x600x600B		PBPCMI600x600x800B
+ Adjustable feet	PBPCMI600x600x300BV	PBPCMI600x600x400BV		PBPCMI600x600x600BV		PBPCMI600x600x800BV
+ Castors	PBPCMI600x600x300BW	PBPCMI600x600x400BW		PBPCMI600x600x600BW		PBPCMI600x600x800BW
70 x 70 cm					PBPCMI700x700x700	
+ Bottom plate					PBPCMI700x700x700B	
+ Adjustable feet					PBPCMI700x700x700BV	
+ Castors					PBPCMI700x700x700BW	
80x80 cm	PBPCMI800x800x300	PBPCMI800x800x400		PBPCMI800x800x600		PBPCMI800x800x800
+ Bottom plate	PBPCMI800x800x300B	PBPCMI800x800x400B		PBPCMI800x800x600B		PBPCMI800x800x800B
+ Adjustable feet	PBPCMI800x800x300BV	PBPCMI800x800x400BV		PBPCMI800x800x600BV		PBPCMI800x800x800BV
+ Castors	PBPCMI800x800x300BW	PBPCMI800x800x400BW		PBPCMI800x800x600BW		PBPCMI800x800x800BW
100 x 100 cm	PBPCMI1000x1000x300	PBPCMI1000x1000x400	PBPCMI1000x1000x500	PBPCMI1000x1000x600		PBPCMI1000x1000x800
+ Bottom plate	PBPCMI1000x1000x300B	PBPCMI1000x1000x400B	PBPCMI1000x1000x500B	PBPCMI1000x1000x600B		PBPCMI1000x1000x800B
120 x 120 cm	PBPCMI1200x1200x300	PBPCMI1200x1200x400		PBPCMI1200x1200x600		PBPCMI1200x1200x800
+ Bottom plate	PBPCMI1200x1200x300B	PBPCMI1200x1200x400B		PBPCMI1200x1200x600B		PBPCMI1200x1200x800B

The planters are available in any RAL color.



MODULAR RECTANGULAR PLANTERS



CONCRETE LOOK
30 x 50 x 40 cm



CORTEN STEEL
40 x 100 x 60 cm



CORTEN STEEL					
Dimensions			Height		
	30 cm	40 cm	50 cm	60 cm	80 cm
30 x 40 cm	PBCOTE300x400x300	P8COTE300x400x400		PBCOTE300x400x600	P8COTE300x400x800
+ Bottom plate	P8COTE300x400x300B	P8COTE300x400x400B		P8COTE300x400x600B	P8COTE300x400x800B
+ Adjustable feet	P8COTE300x400x300BV	P8COTE300x400x400BV		P8COTE300x400x600BV	P8COTE300x400x800BV
+ Castors	P8COTE300x400x300BW	P8COTE300x400x400BW		P8COTE300x400x600BW	P8COTE300x400x800BW
30 x 50 cm	P8COTE300x500x300	P8COTE300x500x400		P8COTE300x500x600	P8COTE300x500x800
+ Bottom plate	P8COTE300x500x300B	P8COTE300x500x400B		P8COTE300x500x600B	P8COTE300x500x800B
+ Adjustable feet	P8COTE300x500x300BV	P8COTE300x500x400BV		P8COTE300x500x600BV	P8COTE300x500x800BV
+ Castors	P8COTE300x500x300BW	P8COTE300x500x400BW		P8COTE300x500x600BW	P8COTE300x500x800BW
30 x 60 cm	P8COTE300x600x300	P8COTE300x600x400		P8COTE300x600x600	P8COTE300x600x800
+ Bottom plate	P8COTE300x600x300B	P8COTE300x600x400B		P8COTE300x600x600B	P8COTE300x600x800B
+ Adjustable feet	P8COTE300x600x300BV	P8COTE300x600x400BV		P8COTE300x600x600BV	P8COTE300x600x800BV
+ Castors	P8COTE300x600x300BW	P8COTE300x600x400BW		P8COTE300x600x600BW	P8COTE300x600x800BW
30 x 80 cm	P8COTE300x800x300	P8COTE300x800x400		P8COTE300x800x600	P8COTE300x800x800
+ Bottom plate	P8COTE300x800x300B	P8COTE300x800x400B		P8COTE300x800x600B	P8COTE300x800x800B
+ Adjustable feet	P8COTE300x800x300BV	P8COTE300x800x400BV		P8COTE300x800x600BV	P8COTE300x800x800BV
+ Castors	P8COTE300x800x300BW	P8COTE300x800x400BW		P8COTE300x800x600BW	P8COTE300x800x800BW
30 x 100 cm	P8COTE300x1000x300	P8COTE300x1000x400		P8COTE300x1000x600	P8COTE300x1000x800
+ Bodem plate	P8COTE300x1000x300B	P8COTE300x1000x400B		P8COTE300x1000x600B	P8COTE300x1000x800B
30 x 120 cm	P8COTE300x1200x300	P8COTE300x1200x400		P8COTE300x1200x600	P8COTE300x1200x800
+ Bottom plate	P8COTE300x1200x300B	P8COTE300x1200x400B		P8COTE300x1200x600B	P8COTE300x1200x800B
40 x 50 cm	P8COTE400x500x300	P8COTE400x500x400		P8COTE400x500x600	P8COTE400x500x800
+ Bottom plate	P8COTE400x500x300B	P8COTE400x500x400B		P8COTE400x500x600B	P8COTE400x500x800B
+ Adjustable feet	P8COTE400x500x300BV	P8COTE400x500x400BV		P8COTE400x500x600BV	P8COTE400x500x800BV
+ Castors	P8COTE400x500x300BW	P8COTE400x500x400BW		P8COTE400x500x600BW	P8COTE400x500x800BW
40 x 60 cm	P8COTE400x600x300	P8COTE400x600x400		P8COTE400x600x600	P8COTE400x600x800
+ Bottom plate	P8COTE400x600x300B	P8COTE400x600x400B		P8COTE400x600x600B	P8COTE400x600x800B
+ Adjustable feet	P8COTE400x600x300BV	P8COTE400x600x400BV		P8COTE400x600x600BV	P8COTE400x600x800BV
+ Castors	P8COTE400x600x300BW	P8COTE400x600x400BW		P8COTE400x600x600BW	P8COTE400x600x800BW
40 x 80 cm	P8COTE400x800x300	P8COTE400x800x400		P8COTE400x800x600	P8COTE400x800x800
+ Bottom plate	P8COTE400x800x300B	P8COTE400x800x400B		P8COTE400x800x600B	P8COTE400x800x800B
+ Adjustable feet	P8COTE400x800x300BV	P8COTE400x800x400BV		P8COTE400x800x600BV	P8COTE400x800x800BV
+ Castors	P8COTE400x800x300BW	P8COTE400x800x400BW		P8COTE400x800x600BW	P8COTE400x800x800BW
40 x 100 cm	P8COTE400x1000x300	P8COTE400x1000x400		P8COTE400x1000x600	P8COTE400x1000x800
+ Bottom plate	P8COTE400x1000x300B	P8COTE400x1000x400B		P8COTE400x1000x600B	P8COTE400x1000x800B
40 x 120 cm	P8COTE400x1200x300	P8COTE400x1200x400		P8COTE400x1200x600	P8COTE400x1200x800
+ Bottom plate	P8COTE400x1200x300B	P8COTE400x1200x400B		P8COTE400x1200x600B	P8COTE400x1200x800B
50 x 60 cm	P8COTE500x600x300	P8COTE500x600x400		P8COTE500x600x600	P8COTE500x600x800
+ Bottom plate	P8COTE500x600x300B	P8COTE500x600x400B		P8COTE500x600x600B	P8COTE500x600x800B
+ Adjustable feet	P8COTE500x600x300BV	P8COTE500x600x400BV		P8COTE500x600x600BV	P8COTE500x600x800BV
+ Castors	P8COTE500x600x300BW	P8COTE500x600x400BW		P8COTE500x600x600BW	P8COTE500x600x800BW
50 x 80 cm	P8COTE500x800x300	P8COTE500x800x400		P8COTE500x800x600	P8COTE500x800x800
+ Bottom plate	P8COTE500x800x300B	P8COTE500x800x400B		P8COTE500x800x600B	P8COTE500x800x800B
+ Adjustable feet	P8COTE500x800x300BV	P8COTE500x800x400BV		P8COTE500x800x600BV	P8COTE500x800x800BV
+ Castors	P8COTE500x800x300BW	P8COTE500x800x400BW		P8COTE500x800x600BW	P8COTE500x800x800BW
50 x 100 cm	P8COTE500x1000x300	P8COTE500x1000x400	P8COTE500x1000x500	P8COTE500x1000x600	P8COTE500x1000x800
+ Bottom plate	P8COTE500x1000x300B	P8COTE500x1000x400B	P8COTE500x1000x500B	P8COTE500x1000x600B	P8COTE500x1000x800B
50 x 120 cm	P8COTE500x1200x300	P8COTE500x1200x400		P8COTE500x1200x600	P8COTE500x1200x800
+ Bottom plate	P8COTE500x1200x300B	P8COTE500x1200x400B		P8COTE500x1200x600B	P8COTE500x1200x800B
60 x 80 cm	P8COTE600x800x300	P8COTE600x800x400		P8COTE600x800x600	P8COTE600x800x800
+ Bottom plate	P8COTE600x800x300B	P8COTE600x800x400B		P8COTE600x800x600B	P8COTE600x800x800B
+ Adjustable feet	P8COTE600x800x300BV	P8COTE600x800x400BV		P8COTE600x800x600BV	P8COTE600x800x800BV
+ Castors	P8COTE600x800x300BW	P8COTE600x800x400BW		P8COTE600x800x600BW	P8COTE600x800x800BW
60 x 100 cm	P8COTE600x1000x300	P8COTE600x1000x400		P8COTE600x1000x600	P8COTE600x1000x800
+ Bottom plate	P8COTE600x1000x300B	P8COTE600x1000x400B		P8COTE600x1000x600B	P8COTE600x1000x800B
60 x 120 cm	P8COTE600x1200x300	P8COTE600x1200x400		P8COTE600x1200x600	P8COTE600x1200x800
+ Bottom plate	P8COTE600x1200x300B	P8COTE600x1200x400B		P8COTE600x1200x600B	P8COTE600x1200x800B
80 x 100 cm	P8COTE800x1000x300	P8COTE800x1000x400		P8COTE800x1000x600	P8COTE800x1000x800
+ Bottom plate	P8COTE800x1000x300B	P8COTE800x1000x400B		P8COTE800x1000x600B	P8COTE800x1000x800B
80 x 120 cm	P8COTE800x1200x300	P8COTE800x1200x400		P8COTE800x1200x600	P8COTE800x1200x800
+ Bottom plate	P8COTE800x1200x300B	P8COTE800x1200x400B		P8COTE800x1200x600B	P8COTE800x1200x800B
100 x 120 cm	P8COTE1000x1200x300	P8COTE1000x1200x400		P8COTE1000x1200x600	P8COTE1000x1200x800
+ Bottom plate	P8COTE1000x1200x300B	P8COTE1000x1200x400B		P8COTE1000x1200x600B	P8COTE1000x1200x800B

POWER COATED STEEL					
Dimensions			Height		
	30 cm	40 cm	50 cm	60 cm	80 cm
30 x 40 cm	PBPCTE300x400x300	PBPCTE300x400x400		PBPCTE300x400x600	PBPCTE300x400x800
+ Bottom plate	PBPCTE300x400x300B	PBPCTE300x400x400B		PBPCTE300x400x600B	PBPCTE300x400x800B
+ Adjustable feet	PBPCTE300x400x300BV	PBPCTE300x400x400BV		PBPCTE300x400x600BV	PBPCTE300x400x800BV
+ Castors	PBPCTE300x400x300BW	PBPCTE300x400x400BW		PBPCTE300x400x600BW	PBPCTE300x400x800BW
30 x 50 cm	PBPCTE300x500x300	PBPCTE300x500x400		PBPCTE300x500x600	PBPCTE300x500x800
+ Bottom	PBPCTE300x500x300B	PBPCTE300x500x400B		PBPCTE300x500x600B	PBPCTE300x500x800B
+ Adjustable feet	PBPCTE300x500x300BV	PBPCTE300x500x400BV		PBPCTE300x500x600BV	PBPCTE300x500x800BV
+ Castors	PBPCTE300x500x300BW	PBPCTE300x500x400BW		PBPCTE300x500x600BW	PBPCTE300x500x800BW
30 x 60 cm	PBPCTE300x600x300	PBPCTE300x600x400		PBPCTE300x600x600	PBPCTE300x600x800
+ Bottom	PBPCTE300x600x300B	PBPCTE300x600x400B		PBPCTE300x600x600B	PBPCTE300x600x800B
+ Adjustable feet	PBPCTE300x600x300BV	PBPCTE300x600x400BV		PBPCTE300x600x600BV	PBPCTE300x600x800BV
+ Castors	PBPCTE300x600x300BW	PBPCTE300x600x400BW		PBPCTE300x600x600BW	PBPCTE300x600x800BW
30 x 80 cm	PBPCTE300x800x300	PBPCTE300x800x400		PBPCTE300x800x600	PBPCTE300x800x800
+ Bodem	PBPCTE300x800x300B	PBPCTE300x800x400B		PBPCTE300x800x600B	PBPCTE300x800x800B
+ Stelvoetjes	PBPCTE300x800x300BV	PBPCTE300x800x400BV		PBPCTE300x800x600BV	PBPCTE300x800x800BV
+ Zwenkwielen	PBPCTE300x800x300BW	PBPCTE300x800x400BW		PBPCTE300x800x600BW	PBPCTE300x800x800BW
30 x 100 cm	PBPCTE300x1000x300	PBPCTE300x1000x400		PBPCTE300x1000x600	PBPCTE300x1000x800
+ Bottom plate	PBPCTE300x1000x300B	PBPCTE300x1000x400B		PBPCTE300x1000x600B	PBPCTE300x1000x800B
30 x 120 cm	PBPCTE300x1200x300	PBPCTE300x1200x400		PBPCTE300x1200x600	PBPCTE300x1200x800
+ Bottom plate	PBPCTE300x1200x300B	PBPCTE300x1200x400B		PBPCTE300x1200x600B	PBPCTE300x1200x800B
40 x 50 cm	PBPCTE400x500x300	PBPCTE400x500x400		PBPCTE400x500x600	PBPCTE400x500x800
+ Bottom plate	PBPCTE400x500x300B	PBPCTE400x500x400B		PBPCTE400x500x600B	PBPCTE400x500x800B
+ Adjustable feet	PBPCTE400x500x300BV	PBPCTE400x500x400BV		PBPCTE400x500x600BV	PBPCTE400x500x800BV
+ Castors	PBPCTE400x500x300BW	PBPCTE400x500x400BW		PBPCTE400x500x600BW	PBPCTE400x500x800BW
40 x 60 cm	PBPCTE400x600x300	PBPCTE400x600x400		PBPCTE400x600x600	PBPCTE400x600x800
+ Bottom plate	PBPCTE400x600x300B	PBPCTE400x600x400B		PBPCTE400x600x600B	PBPCTE400x600x800B
+ Adjustable feet	PBPCTE400x600x300BV	PBPCTE400x600x400BV		PBPCTE400x600x600BV	PBPCTE400x600x800BV
+ Castors	PBPCTE400x600x300BW	PBPCTE400x600x400BW		PBPCTE400x600x600BW	PBPCTE400x600x800BW
40 x 80 cm	PBPCTE400x800x300	PBPCTE400x800x400		PBPCTE400x800x600	PBPCTE400x800x800
+ Bottom plate	PBPCTE400x800x300B	PBPCTE400x800x400B		PBPCTE400x800x600B	PBPCTE400x800x800B
+ Adjustable feet	PBPCTE400x800x300BV	PBPCTE400x800x400BV		PBPCTE400x800x600BV	PBPCTE400x800x800BV
+ Castors	PBPCTE400x800x300BW	PBPCTE400x800x400BW		PBPCTE400x800x600BW	PBPCTE400x800x800BW
40 x 100 cm	PBPCTE400x1000x300	PBPCTE400x1000x400		PBPCTE400x1000x600	PBPCTE400x1000x800
+ Bottom plate	PBPCTE400x1000x300B	PBPCTE400x1000x400B		PBPCTE400x1000x600B	PBPCTE400x1000x800B
40 x 120 cm	PBPCTE400x1200x300	PBPCTE400x1200x400		PBPCTE400x1200x600	PBPCTE400x1200x800
+ Bottom plate	PBPCTE400x1200x300B	PBPCTE400x1200x400B		PBPCTE400x1200x600B	PBPCTE400x1200x800B
50 x 60 cm	PBPCTE500x600x300	PBPCTE500x600x400		PBPCTE500x600x600	PBPCTE500x600x800
+ Bottom plate	PBPCTE500x600x300B	PBPCTE500x600x400B		PBPCTE500x600x600B	PBPCTE500x600x800B
+ Adjustable feet	PBPCTE500x600x300BV	PBPCTE500x600x400BV		PBPCTE500x600x600BV	PBPCTE500x600x800BV
+ Castors	PBPCTE500x600x300BW	PBPCTE500x600x400BW		PBPCTE500x600x600BW	PBPCTE500x600x800BW
50 x 80 cm	PBPCTE500x800x300	PBPCTE500x800x400		PBPCTE500x800x600	PBPCTE500x800x800
+ Bottom plate	PBPCTE500x800x300B	PBPCTE500x800x400B		PBPCTE500x800x600B	PBPCTE500x800x800B
+ Adjustable feet	PBPCTE500x800x300BV	PBPCTE500x800x400BV		PBPCTE500x800x600BV	PBPCTE500x800x800BV
+ Castors	PBPCTE500x800x300BW	PBPCTE500x800x400BW		PBPCTE500x800x600BW	PBPCTE500x800x800BW
50 x 100 cm	PBPCTE500x1000x300	PBPCTE500x1000x400		PBPCTE500x1000x600	PBPCTE500x1000x800
+ Bottom plate	PBPCTE500x1000x300B	PBPCTE500x1000x400B	PBPCTE500x1000x500 PBPCTE500x1000x500B	PBPCTE500x1000x600B	PBPCTE500x1000x800B
50 x 120 cm	PBPCTE500x1200x300	PBPCTE500x1200x400		PBPCTE500x1200x600	PBPCTE500x1200x800
+ Bottom plate	PBPCTE500x1200x300B	PBPCTE500x1200x400B		PBPCTE500x1200x600B	PBPCTE500x1200x800B
60 x 80 cm	PBPCTE600x800x300	PBPCTE600x800x400		PBPCTE600x800x600	PBPCTE600x800x800
+ Bottom plate	PBPCTE600x800x300B	PBPCTE600x800x400B		PBPCTE600x800x600B	PBPCTE600x800x800B
+ Adjustable feet	PBPCTE600x800x300BV	PBPCTE600x800x400BV		PBPCTE600x800x600BV	PBPCTE600x800x800BV
+ Castors	PBPCTE600x800x300BW	PBPCTE600x800x400BW		PBPCTE600x800x600BW	PBPCTE600x800x800BW
60 x 100 cm	PBPCTE600x1000x300	PBPCTE600x1000x400		PBPCTE600x1000x600	PBPCTE600x1000x800
+ Bottom plate	PBPCTE600x1000x300B	PBPCTE600x1000x400B		PBPCTE600x1000x600B	PBPCTE600x1000x800B
60 x 120 cm	PBPCTE600x1200x300	PBPCTE600x1200x400		PBPCTE600x1200x600	PBPCTE600x1200x800
+ Bottom plate	PBPCTE600x1200x300B	PBPCTE600x1200x400B		PBPCTE600x1200x600B	PBPCTE600x1200x800B
80 x 100 cm	PBPCTE800x1000x300	PBPCTE800x1000x400		PBPCTE800x1000x600	PBPCTE800x1000x800
+ Bottom plate	PBPCTE800x1000x300B	PBPCTE800x1000x400B		PBPCTE800x1000x600B	PBPCTE800x1000x800B
80 x 120 cm	PBPCTE800x1200x300	PBPCTE800x1200x400		PBPCTE800x1200x600	PBPCTE800x1200x800
+ Bottom plate	PBPCTE800x1200x300B	PBPCTE800x1200x400B		PBPCTE800x1200x600B	PBPCTE800x1200x800B
100 x 120 cm	PBPCTE1000x1200x300	PBPCTE1000x1200x400		PBPCTE1000x1200x600	PBPCTE1000x1200x800
+ Bottom plate	PBPCTE1000x1200x300B	PBPCTE1000x1200x400B		PBPCTE1000x1200x600B	PBPCTE1000x1200x800B

The planters are available in any RAL color.





MODULAR SQUARE PLANTERS XXL

MODULAR RECTANGULAR PLANTERS XXL



CORTEN STEEL
160 x 160 x 40 cm



CORTEN STEEL
320 x 30 x 30 cm



RAL 9010
180 x 180 x 30 cm



RAL 7016
160 x 160 x 60 cm



RAL 9005
300 x 300 x 40 cm



RAL 9010
150 x 50 x 50 cm



BRONZE
200 x 30 x 60 cm



SAND LOOK
300 x 100 x 50 cm

CORTEN STEEL					
Dimensions	Height				
	30 cm	40 cm	50 cm	60 cm	80 cm
150 x 150 cm	PBPCMIXL1500x300	PBPCMIXL1500x400	PBPCMIXL1500x500	PBPCMIXL1500x600	PBPCMIXL1500x800
160 x 160 cm	PBPCMIXL1600x300	PBPCMIXL1600x400		PBPCMIXL1600x600	PBPCMIXL1600x800
180 x 180 cm	PBPCMIXL1800x300	PBPCMIXL1800x400		PBPCMIXL1800x600	PBPCMIXL1800x800
200 x 200 cm	PBPCMIXL2000x300	PBPCMIXL2000x400	PBPCMIXL2000x500	PBPCMIXL2000x600	PBPCMIXL2000x800
240 x 240 cm	PBPCMIXL2400x300	PBPCMIXL2400x400		PBPCMIXL2400x600	PBPCMIXL2400x800
300 x 300 cm	PBPCMIXL3000x300	PBPCMIXL3000x400	PBPCMIXL3000x500	PBPCMIXL3000x600	PBPCMIXL3000x800

POWDER COATED STEEL					
Afmeting	Hoogte				
	30 cm	40 cm	50 cm	60 cm	80 cm
150 x 150 cm	PBPCMIXL1500x300	PBPCMIXL1500x400	PBPCMIXL1500x500	PBPCMIXL1500x600	PBPCMIXL1500x800
160 x 160 cm	PBPCMIXL1600x300	PBPCMIXL1600x400		PBPCMIXL1600x600	PBPCMIXL1600x800
180 x 180 cm	PBPCMIXL1800x300	PBPCMIXL1800x400		PBPCMIXL1800x600	PBPCMIXL1800x800
200 x 200 cm	PBPCMIXL2000x300	PBPCMIXL2000x400	PBPCMIXL2000x500	PBPCMIXL2000x600	PBPCMIXL2000x800
240 x 240 cm	PBPCMIXL2400x300	PBPCMIXL2400x400		PBPCMIXL2400x600	PBPCMIXL2400x800
300 x 300 cm	PBPCMIXL3000x300	PBPCMIXL3000x400	PBPCMIXL3000x500	PBPCMIXL3000x600	PBPCMIXL3000x800

As standard, the planters are supplied without a base plate. The planters are available in any RAL color.





MODULAR L-SHAPE PLANTERS



CORTEN STEEL
180 x 120 x 40 cm

MODULAR L-SHAPE PLANTERS – EQUILATERAL



RAL 7016
100 x 100 x 80 cm



RAL 9010
100 x 100 x 30 cm

CORTEN STEEL						
Dimensions	Height					
	30 cm	40 cm	50 cm	60 cm	70 cm	80 cm
60 x 90 cm	PBCOKA300x300	PBCOKA300x400		PBCOKA300x600		PBCOKA300x800
+ Bottom plate	PBCOKA300x300B	PBCOKA300x400B		PBCOKA300x600B		PBCOKA300x800B
80 x 120 cm	PBCOKA400x300	PBCOKA400x400		PBCOKA400x600		PBCOKA400x800
+ Bottom plate	PBCOKA400x300B	PBCOKA400x400B		PBCOKA400x600B		PBCOKA400x800B
100 x 150 cm	PBCOKA500x300	PBCOKA500x400	PBCOKA500x500	PBCOKA500x600		PBCOKA500x800
+ Bottom plate	PBCOKA500x300B	PBCOKA500x400B	PBCOKA500x500B	PBCOKA500x600B		PBCOKA500x800B
120 x 180 cm	PBCOKA600x300	PBCOKA600x400		PBCOKA600x600		PBCOKA600x800
+ Bottom plate	PBCOKA600x300B	PBCOKA600x400B		PBCOKA600x600B		PBCOKA600x800B
140 x 210 cm					PBCOKA700x700	
+ Bottom plate					PBCOKA700x700B	
160 x 240 cm	PBCOKA800x300	PBCOKA800x400		PBCOKA800x600		PBCOKA800x800
+ Bottom plate	PBCOKA800x300B	PBCOKA800x400B		PBCOKA800x600B		PBCOKA800x800B
200 x 300 cm	PBCOKAI000x300	PBCOKAI000x400	PBCOKAI000x500	PBCOKAI000x600		PBCOKAI000x800
+ Bottom plate	PBCOKAI000x300B	PBCOKAI000x400B	PBCOKAI000x500B	PBCOKAI000x600B		PBCOKAI000x800B
240 x 360 cm	PBCOKAI200x300	PBCOKAI200x400		PBCOKAI200x600		PBCOKAI200x800
+ Bottom plate	PBCOKAI200x300B	PBCOKAI200x400B		PBCOKAI200x600B		PBCOKAI200x800B

POWDER COATED STEEL						
Dimensions	Height					
	30 cm	40 cm	50 cm	60 cm	70 cm	80 cm
60 x 90 cm	PBPCKA300x300	PBPCKA300x400		PBPCKA300x600		PBPCKA300x800
+ Bottom plate	PBPCKA300x300B	PBPCKA300x400B		PBPCKA300x600B		PBPCKA300x800B
80 x 120 cm	PBPCKA400x300	PBPCKA400x400		PBPCKA400x600		PBPCKA400x800
+ Bottom plate	PBPCKA400x300B	PBPCKA400x400B		PBPCKA400x600B		PBPCKA400x800B
100 x 150 cm	PBPCKA500x300	PBPCKA500x400	PBPCKA500x500	PBPCKA500x600		PBPCKA500x800
+ Bottom plate	PBPCKA500x300B	PBPCKA500x400B	PBPCKA500x500B	PBPCKA500x600B		PBPCKA500x800B
120 x 180 cm	PBPCKA600x300	PBPCKA600x400		PBPCKA600x600		PBPCKA600x800
+ Bottom plate	PBPCKA600x300B	PBPCKA600x400B		PBPCKA600x600B		PBPCKA600x800B
140 x 210 cm					PBPCKA700x700	
+ Bottom plate					PBPCKA700x700B	
160 x 240 cm	PBPCKA800x300	PBPCKA800x400		PBPCKA800x600		PBPCKA800x800
+ Bottom plate	PBPCKA800x300B	PBPCKA800x400B		PBPCKA800x600B		PBPCKA800x800B
200 x 300 cm	PBPCKAI000x300	PBPCKAI000x400	PBPCKAI000x500	PBPCKAI000x600		PBPCKAI000x800
+ Bottom plate	PBPCKAI000x300B	PBPCKAI000x400B	PBPCKAI000x500B	PBPCKAI000x600B		PBPCKAI000x800B
240 x 360 cm	PBPCKAI200x300	PBPCKAI200x400		PBPCKAI200x600		PBPCKAI200x800
+ Bottom plate	PBPCKAI200x300B	PBPCKAI200x400B		PBPCKAI200x600B		PBPCKAI200x800B

The planters are available in any RAL color.

CORTEN STEEL							
Dimensions	Height						
	30 cm	40 cm	50 cm	60 cm	70 cm	80 cm	100 cm
60 x 60 cm	PBCOKA600x600x300	PBCOKA600x600x400		PBCOKA600x600x600		PBCOKA600x600x800	
+ Bottom plate	PBCOKA600x600x300B	PBCOKA600x600x400B		PBCOKA600x600x600B		PBCOKA600x600x800B	
80 x 80 cm	PBCOKA800x800x300	PBCOKA800x800x400		PBCOKA800x800x600		PBCOKA800x800x800	
+ Bottom plate	PBCOKA800x800x300B	PBCOKA800x800x400B		PBCOKA800x800x600B		PBCOKA800x800x800B	
100 x 100 cm	PBCOKAI000x1000x300	PBCOKAI000x1000x400	PBCOKAI000x1000x500	PBCOKAI000x1000x600		PBCOKAI000x1000x800	
+ Bottom plate	PBCOKAI000x1000x300B	PBCOKAI000x1000x400B	PBCOKAI000x1000x500B	PBCOKAI000x1000x600B		PBCOKAI000x1000x800B	
120 x 120 cm	PBCOKAI200x1200x300	PBCOKAI200x1200x400		PBCOKAI200x1200x600		PBCOKAI200x1200x800	
+ Bottom plate	PBCOKAI200x1200x300B	PBCOKAI200x1200x400B		PBCOKAI200x1200x600B		PBCOKAI200x1200x800B	
140 x 140 cm					PBCOKAI400x1400x700		
+ Bottom plate					PBCOKAI400x1400x700B		
160 x 160 cm	PBCOKAI600x1600x300	PBCOKAI600x1600x400		PBCOKAI600x1600x600		PBCOKAI600x1600x800	
+ Bottom plate	PBCOKAI600x1600x300B	PBCOKAI600x1600x400B		PBCOKAI600x1600x600B		PBCOKAI600x1600x800B	
200 x 200 cm	PBCOKA2000x2000x300	PBCOKA2000x2000x400	PBCOKA2000x2000x500	PBCOKA2000x2000x600		PBCOKA2000x2000x800	PBCOKA2000x2000x1000
+ Bottom plate	PBCOKA2000x2000x300B	PBCOKA2000x2000x400B	PBCOKA2000x2000x500B	PBCOKA2000x2000x600B		PBCOKA2000x2000x800B	PBCOKA2000x2000x1000B
240 x 240 cm	PBCOKA2400x2400x300	PBCOKA2400x2400x400		PBCOKA2400x2400x600		PBCOKA2400x2400x800	
+ Bottom plate	PBCOKA2400x2400x300B	PBCOKA2400x2400x400B		PBCOKA2400x2400x600B		PBCOKA2400x2400x800B	

POWDER COATED STEEL							
Dimensions	Height						
	30 cm	40 cm	50 cm	60 cm	70 cm	80 cm	100 cm
60 x 60 cm	PBPCKA600x600x300	PBPCKA600x600x400		PBPCKA600x600x600		PBPCKA600x600x800	
+ Bottom plate	PBPCKA600x600x300B	PBPCKA600x600x400B		PBPCKA600x600x600B		PBPCKA600x600x800B	
80 x 80 cm	PBPCKA800x800x300	PBPCKA800x800x400		PBPCKA800x800x600		PBPCKA800x800x800	
+ Bottom plate	PBPCKA800x800x300B	PBPCKA800x800x400B		PBPCKA800x800x600B		PBPCKA800x800x800B	
100 x 100 cm	PBPCKAI000x1000x300	PBPCKAI000x1000x400	PBPCKAI000x1000x500	PBPCKAI000x1000x600		PBPCKAI000x1000x800	
+ Bottom plate	PBPCKAI000x1000x300B	PBPCKAI000x1000x400B	PBPCKAI000x1000x500B	PBPCKAI000x1000x600B		PBPCKAI000x1000x800B	
120 x 120 cm	PBPCKAI200x1200x300	PBPCKAI200x1200x400		PBPCKAI200x1200x600		PBPCKAI200x1200x800	
+ Bottom plate	PBPCKAI200x1200x300B	PBPCKAI200x1200x400B		PBPCKAI200x1200x600B		PBPCKAI200x1200x800B	
140 x 140 cm					PBPCKAI400x1400x700		
+ Bottom plate					PBPCKAI400x1400x700B		
160 x 160 cm	PBPCKAI600x1600x300	PBPCKAI600x1600x400		PBPCKAI600x1600x600		PBPCKAI600x1600x800	
+ Bottom plate	PBPCKAI600x1600x300B	PBPCKAI600x1600x400B		PBPCKAI600x1600x600B		PBPCKAI600x1600x800B	
200 x 200 cm	PBPCKA2000x2000x300	PBPCKA2000x2000x400	PBPCKA2000x2000x500	PBPCKA2000x2000x600		PBPCKA2000x2000x800	PBPCKA2000x2000x1000
+ Bottom plate	PBPCKA2000x2000x300B	PBPCKA2000x2000x400B	PBPCKA2000x2000x500B	PBPCKA2000x2000x600B		PBPCKA2000x2000x800B	PBPCKA2000x2000x1000B
240 x 240 cm	PBPCKA2400x2400x300	PBPCKA2400x2400x400		PBPCKA2400x2400x600		PBPCKA2400x2400x800	
+ Bottom plate	PBPCKA2400x2400x300B	PBPCKA2400x2400x400B		PBPCKA2400x2400x600B		PBPCKA2400x2400x800B	



MODULAR HEXAGONAL & OCTAGONAL PLANTERS

MODULAR TRIANGULAR PLANTERS

HEXAGONAL - CORTEN STEEL						
Dimensions	Height					
	30 cm	40 cm	50 cm	60 cm	70 cm	80 cm
34,6 x 39,3 cm	PBCODE200x300	PBCODE200x400	PBCODE200x500	PBCODE200x600	PBCODE200x700	PBCODE200x800
+ Botto plate	PBCODE200x300B	PBCODE200x400B	PBCODE200x500B	PBCODE200x600B	PBCODE200x700B	PBCODE200x800B
+ Adjustable feet	PBCODE200x300BV	PBCODE200x400BV	PBCODE200x500BV	PBCODE200x600BV	PBCODE200x700BV	PBCODE200x800BV
+ Castors	PBCODE200x300BW	PBCODE200x400BW	PBCODE200x500BW	PBCODE200x600BW	PBCODE200x700BW	PBCODE200x800BW
52 x 59,3 cm	PBCODE300x300	PBCODE300x400		PBCODE300x600		PBCODE300x800
+ Bottom plate	PBCODE300x300B	PBCODE300x400B		PBCODE300x600B		PBCODE300x800B
+ Adjustable feet	PBCODE300x300BV	PBCODE300x400BV		PBCODE300x600BV		PBCODE300x800BV
+ Castors	PBCODE300x300BW	PBCODE300x400BW		PBCODE300x600BW		PBCODE300x800BW
69,3 x 79,3 cm	PBCODE400x300	PBCODE400x400		PBCODE400x600		PBCODE400x800
86,6 x 99,3 cm	PBCODE500x300	PBCODE500x400	PBCODE500x500	PBCODE500x600		PBCODE500x800
103,9 x 119,3 cm	PBCODE600x300	PBCODE600x400		PBCODE600x600		PBCODE600x800
121 x 139,3 cm					PBCODE700x700	
138,6 x 159,3 cm	PBCODE800x300	PBCODE800x400		PBCODE800x600		PBCODE800x800
173,2 x 199,3 cm	PBCODE1000x300	PBCODE1000x400	PBCODE1000x500	PBCODE1000x600		PBCODE1000x800
207,8 x 239,3 cm	PBCODE1200x300	PBCODE1200x400		PBCODE1200x600		PBCODE1200x800

CORTEN STEEL - HEXAGONAL
159,3 x 138,6 x 40 cm




CORTEN STEEL - OCTAGONAL
241,4 x 241,4 x 40 cm

OCTAGONAL - CORTEN STEEL						
Dimensions	Height					
	30 cm	40 cm	50 cm	60 cm	70 cm	80 cm
48,3 x 48,3 cm	PBCOCH200x300	PBCOCH200x400	PBCOCH200x500	PBCOCH200x600	PBCOCH200x700	PBCOCH200x800
+ Bottom plate	PBCOCH200x300B	PBCOCH200x400B	PBCOCH200x500B	PBCOCH200x600B	PBCOCH200x700B	PBCOCH200x800B
+ Adjustable feet	PBCOCH200x300BV	PBCOCH200x400BV	PBCOCH200x500BV	PBCOCH200x600BV	PBCOCH200x700BV	PBCOCH200x800BV
+ Castors	PBCOCH200x300BW	PBCOCH200x400BW	PBCOCH200x500BW	PBCOCH200x600BW	PBCOCH200x700BW	PBCOCH200x800BW
72,4 x 72,4 cm	PBCOCH300x300	PBCOCH300x400		PBCOCH300x600		PBCOCH300x800
+ Bottom plate	PBCOCH300x300B	PBCOCH300x400B		PBCOCH300x600B		PBCOCH300x800B
+ Adjustable feet	PBCOCH300x300BV	PBCOCH300x400BV		PBCOCH300x600BV		PBCOCH300x800BV
+ Castors	PBCOCH300x300BW	PBCOCH300x400BW		PBCOCH300x600BW		PBCOCH300x800BW
96,6 x 96,6 cm	PBCOCH400x300	PBCOCH400x400		PBCOCH400x600		PBCOCH400x800
120,7 x 120,7 cm	PBCOCH500x300	PBCOCH500x400	PBCOCH500x500	PBCOCH500x600		PBCOCH500x800
144,9 x 144,9 cm	PBCOCH600x300	PBCOCH600x400		PBCOCH600x600		PBCOCH600x800
168,6 x 168,6 cm					PBCOCH700x700	
193,1 x 193,1 cm	PBCOCH800x300	PBCOCH800x400		PBCOCH800x600		PBCOCH800x800
241,4 x 241,4 cm	PBCOCH1000x300	PBCOCH1000x400	PBCOCH1000x500	PBCOCH1000x600		PBCOCH1000x800
289,7 x 289,7 cm	PBCOCH1200x300	PBCOCH1200x400		PBCOCH1200x600		PBCOCH1200x800

CORTEN STEEL	
Dimensions	
70,6 x 61 x 40 cm	PBCOAKG600x400
70,6 x 61 x 60 cm	PBCOAKG600x600
90,6 x 78,3 x 40 cm	PBCOAKG800x400
90,6 x 78,3 x 60 cm	PBCOAKG800x600
83,9 x 46,4 x 40 cm	PBCOAKO840x400
83,9 x 46,4 x 60 cm	PBCOAKO840x600
112,2 x 60,5 x 40 cm	PBCOAKO1120x400
112,2 x 60,5 x 60 cm	PBCOAKO1120x600

CORTEN STEEL
90,6 x 78,3 x 40 cm



CORTEN STEEL - PLANTER WITH BENCH SQUARE
CORNER ARRANGEMENT

221,2 x 221,2 x 50 cm



RAL 7016 - PLANTER
WITH BENCH SQUARE

221,2 x 50 x 50 cm



Combine two or more planters with a Douglas fir bench to create a natural, inviting seating area. The bench is also sold separately and fits all planter models. Delivered with a complete assembly kit for easy setup.

CORTEN STEEL		
Model	Dimensions	Height 50 cm
Bench (separate)	42 x 130 cm	PBCOVEBA
Square	50 x 221,2 cm	PBCOVEMI
+ Bottom plate		PBCOVEMIB
Rectangle	50 x 321,2 cm	PBCOVETE
+ Bottom plate		PBCOVETEB
Hexagon	78,3 x 278,4 cm	PBCOVEDE
Octagon	99,3 x 294,4 cm	PBCOVECH
Square corner arrangement	120,7 x 362,6 cm	PBCOVEMIHO
+ Bottom plate		PBCOVEMIHOB
Octagon corner arrangement	362,6 x 362,6 cm	PBCOVECHHO
Campfire setup	459,2 x 502,2 cm	PBCOVEKO

POWDER COATED STEEL		
Model	Dimensions	Height 50 cm
Bench (separate)	42 x 130 cm	PCVEBA
Square	50 x 221,2 cm	PBPCVEMI
+ Bottom plate		PBPCVEMIB
Rectangle	50 x 321,2 cm	PBPCVETE
+ Bottom plate		PBPCVETEB
Square corner arrangement	120,7 x 362,6 cm	PBPCVEMIHO
+ Bottom plate		PBPCVEMIHOB

The planters are available in any RAL color.



CORTEN STEEL - PLANTER WITH BENCH CAMPFIRE HEAD ARRANGEMENT

502,2 x 459,2 x 50 cm

